

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 5/12/2014 Revision date: 7/04/2020 Version: 9.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Product name : LAYOUT INK BLUE FLUID

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Rocol

Rocol House

Wakefield Rd, Swillington

LS26 8BS Leeds - United Kingdom

T +44 (0)113 232 2600

customer.service@rocol.com - www.rocol.com

#### 1.4. Emergency telephone number

Emergency number : +44 (0)113 232 2600

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2

Serious eye damage/eye irritation, Category 2

Specific target organ toxicity — Single exposure, Category 3, Narcosis

Hazardous to the aquatic environment — Chronic Hazard, Category 3

H412

Full text of H statements : see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP) : Danger

Hazardous ingredients : ACETONE; PROPAN-2-OL

Hazard statements (CLP) : H225 - Highly flammable liquid and vapour.

H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness.

H412 - Harmful to aquatic life with long lasting effects.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

EUH066 - Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

**EUH-statements** 

No additional information available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

| Name  | Product identifier  | %       | Classification according to<br>Regulation (EC) No.<br>1272/2008 [CLP]      |
|---|---|---------|--|
| ACETONE   | (CAS-No.) 67-64-1<br>(EC-No.) 200-662-2<br>(EC Index-No.) 606-001-00-8                                | 50 – 70 | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336                |
| PROPAN-2-OL   | (CAS-No.) 67-63-0<br>(EC-No.) 200-661-7<br>(EC Index-No.) 603-117-00-0<br>(REACH-no) 01-2119457558-25 | 30 – 50 | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336                |
| BASIC BLUE 26 substance listed as REACH Candidate ([4-[[4-anilino-1-naphthyl][4- (dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]) | (CAS-No.) 2580-56-5<br>(EC-No.) 219-943-6   | 0,1 – 1 | Acute Tox. 4 (Oral), H302<br>Eye Irrit. 2, H319<br>Aquatic Chronic 1, H410 |

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTER/doctor if you feel unwell.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause drowsiness or dizziness. Symptoms/effects after eye contact : Causes serious eye irritation.

7/04/2020 (Version: 9.0) EN (English) 2/10

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Emergency procedures : Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

# 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

Hygiene measures : Wash hands, forearms and face thoroughly after handling.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

 $container\ and\ receiving\ equipment.\ Use\ explosion-proof\ electrical/ventilating/lighting$ 

equipment

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep in

fireproof place. Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

# 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

| ACETONE (67-64-1)                             |                                       |  |
|---|---------------------------------------|--|
| EU - Occupational Exposure Limits             |                                       |  |
| Local name                                    | Acetone                               |  |
| IOELV TWA (mg/m³)                             | 1210 mg/m³                            |  |
| IOELV TWA (ppm)                               | 500 ppm                               |  |
| Regulatory reference                          | COMMISSION DIRECTIVE 2000/39/EC       |  |
| United Kingdom - Occupational Exposure Limits |                                       |  |
| Local name                                    | Acetone                               |  |
| WEL TWA (mg/m³)                               | 1210 mg/m³                            |  |
| WEL TWA (ppm)                                 | 500 ppm                               |  |
| WEL STEL (mg/m³)                              | 3620 mg/m³                            |  |
| WEL STEL (ppm)                                | 1500 ppm                              |  |
| Regulatory reference                          | EH40/2005 (Fourth edition, 2020). HSE |  |

| PROPAN-2-OL (67-63-0)                         |                                       |
|---|---------------------------------------|
| United Kingdom - Occupational Exposure Limits |                                       |
| Local name                                    | Propan-2-ol                           |
| WEL TWA (mg/m³)                               | 999 mg/m³                             |
| WEL TWA (ppm)                                 | 400 ppm                               |
| WEL STEL (mg/m³)                              | 1250 mg/m³                            |
| WEL STEL (ppm)                                | 500 ppm                               |
| Regulatory reference                          | EH40/2005 (Fourth edition, 2020). HSE |

# 8.2. Exposure controls

# Personal protective equipment:

Avoid all unnecessary exposure.

| Hand protection:        |  |
|-------------------------|--|
| Wear protective gloves. |  |

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Eye protection:

Chemical goggles or safety glasses

#### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

#### Other information:

Do not eat, drink or smoke during use.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Blue. Odour : Alcoholic. Odour threshold : No data available рΗ : No data available. Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available. Freezing point : No data available

Boiling point :  $56 \,^{\circ}\text{C}$ Flash point :  $-18 \,^{\circ}\text{C}$ 

Auto-ignition temperature : No data available. Decomposition temperature : No data available Flammability (solid, gas) : No data available : No data available Vapour pressure Relative vapour density at 20 °C : No data available. : No data available. Relative density : No data available Solubility Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** No data available

#### 9.2. Other information

VOC content : ≈ 722 g/l

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

# 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

# 10.5. Incompatible materials

Strong acids. Strong bases.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

#### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) Not classified Acute toxicity (dermal) Not classified Acute toxicity (inhalation) Not classified

| BASIC BLUE 26 ( | 2580-56-5) |
|-----------------|------------|
|-----------------|------------|

LD50 oral rat 900 mg/kg

PROPAN-2-OL (67-63-0) LD50 oral rat 5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) LD50 oral 3600 mg/kg

Skin corrosion/irritation : Not classified

pH: No data available.

Additional information Repeated exposure may cause skin dryness or cracking.

Serious eye damage/irritation Causes serious eye irritation.

pH: No data available.

Respiratory or skin sensitisation Not classified

Additional information Based on available data, the classification criteria are not met

Germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met Additional information

Carcinogenicity Not classified

Based on available data, the classification criteria are not met Additional information

Reproductive toxicity Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified

Additional information Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information Based on available data, the classification criteria are not met

: Not classified

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

: Harmful to aquatic life with long lasting effects. Ecology - water

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

(chronic)

: Harmful to aquatic life with long lasting effects.

# **BASIC BLUE 26 (2580-56-5)**

| · · · · · · · · · · · · · · · · · · · |          |
|---------------------------------------|----------|
| LC50 fish 1                           | 100 mg/l |

7/04/2020 (Version: 9.0) EN (English) 6/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| PROPAN-2-OL (67-63-0)   |  |
|---|--|
| LC50 fish 1   | 10000 mg/l Test organisms (species): Pimephales promelas |
| LC50 fish 2 9640 mg/l Test organisms (species): Pimephales promelas |  |

# 12.2. Persistence and degradability

| LAYOUT INK BLUE FLUID         |   |
|-------------------------------|---|
| Persistence and degradability | May cause long-term adverse effects in the environment. |

# 12.3. Bioaccumulative potential

| LAYOUT INK BLUE FLUID     |                  |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

# 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

| Component                 |  |
|---------------------------|--|
| BASIC BLUE 26 (2580-56-5) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment.


# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR  | IMDG  | IATA   | ADN   | RID   |
|--|---|--|---|---|
| 14.1. UN number  |   |  |   |   |
| UN 1993  | UN 1993   | UN 1993  | UN 1993   | UN 1993   |
| 14.2. UN proper shipping   | g name  |  |   |   |
| FLAMMABLE LIQUID,<br>N.O.S.  | FLAMMABLE LIQUID,<br>N.O.S.   | Flammable liquid, n.o.s.   | FLAMMABLE LIQUID,<br>N.O.S.   | FLAMMABLE LIQUID,<br>N.O.S.   |
| Transport document descr   | Transport document description  |  |   |   |
| UN 1993 FLAMMABLE<br>LIQUID, N.O.S.<br>(CONTAINS : ACETONE ;<br>PROPAN-2-OL), 3, II, (D/E) | UN 1993 FLAMMABLE<br>LIQUID, N.O.S.<br>(CONTAINS : ACETONE ;<br>PROPAN-2-OL), 3, II | UN 1993 Flammable liquid,<br>n.o.s. (CONTAINS :<br>ACETONE ; PROPAN-2-<br>OL), 3, II | UN 1993 FLAMMABLE<br>LIQUID, N.O.S.<br>(CONTAINS : ACETONE ;<br>PROPAN-2-OL), 3, II | UN 1993 FLAMMABLE<br>LIQUID, N.O.S.<br>(CONTAINS : ACETONE ;<br>PROPAN-2-OL), 3, II |
| 14.3. Transport hazard class(es)   |   |  |   |   |
| 3  | 3   | 3  | 3   | 3   |

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : F1

Special provisions (ADR) 274, 601, 640D

Limited quantities (ADR) 11 Excepted quantities (ADR) E2

: P001, IBC02, R001 Packing instructions (ADR)

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(ADR)

Tank code (ADR) : LGBF Vehicle for tank carriage : FL Transport category (ADR) : 2 Special provisions for carriage - Operation (ADR) : S2. S20 Hazard identification number (Kemler No.) 33

Orange plates

33 1993

Tunnel restriction code (ADR) D/E EAC code •3YE

#### Transport by sea

Special provisions (IMDG) : 274 Limited quantities (IMDG) : 1L Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P001 IBC packing instructions (IMDG) : IBC02 Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP28, TP8

EmS-No. (Fire) : F-E EmS-No. (Spillage) : S-E Stowage category (IMDG) : B

#### Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y341 PCA limited quantity max net quantity (IATA) 1L PCA packing instructions (IATA) 353 PCA max net quantity (IATA) 5L CAO packing instructions (IATA) : 364 CAO max net quantity (IATA) 60L Special provisions (IATA) : A3 ERG code (IATA) : 3H

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 274, 601, 640C

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 1

Rail transport

Classification code (RID) : F1

Special provisions (RID) : 274, 601, 640C

Limited quantities (RID) : 1L

Excepted quantities (RID) : E2

Packing instructions (RID) : P001

Mixed packing provisions (RID) : MP19

Portable tank and bulk container instructions (RID) : T7

Portable tank and bulk container special provisions : TP1, TP8, TP28

(RID)

Tank codes for RID tanks (RID) : L1.5BN
Transport category (RID) : 2
Colis express (express parcels) (RID) : CE7
Hazard identification number (RID) : 33

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains a substance on the REACH candidate list in concentration  $\geq$  0.1% or with a lower specific limit: [4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Blue 26) [with  $\geq$  0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (EC 219-943-6, CAS 2580-56-5)

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : ≈ 722 g/l

#### 15.1.2. National regulations

No additional information available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

| Classification according to Regulation (EC) No. 1272/2008 [CLP]: |      |  |
|--|------|--|
| Flam. Liq. 2   | H225 |  |
| Eye Irrit. 2   | H319 |  |
| STOT SE 3  | H336 |  |
| Aquatic Chronic 3  | H412 |  |

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| Full text of H- and EUH-statements: |  |
|-------------------------------------|--|
| Acute Tox. 4 (Oral)                 | Acute toxicity (oral), Category 4                                      |
| Aquatic Chronic 1                   | Hazardous to the aquatic environment — Chronic Hazard, Category 1      |
| Eye Irrit. 2                        | Serious eye damage/eye irritation, Category 2                          |
| Flam. Liq. 2                        | Flammable liquids, Category 2  |
| STOT SE 3                           | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| H225                                | Highly flammable liquid and vapour.                                    |
| H302                                | Harmful if swallowed.  |
| H319                                | Causes serious eye irritation.   |
| H336                                | May cause drowsiness or dizziness.                                     |
| H410                                | Very toxic to aquatic life with long lasting effects.                  |
| H412                                | Harmful to aquatic life with long lasting effects.                     |
| EUH066                              | Repeated exposure may cause skin dryness or cracking.                  |

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.