

Heavy duty construction | Up to 1200kg U.D.L. total capacity | 40mm Worktops




Page 114
Page 116
Page 122
Page 124
Page 130
Page 133
Page 135

cases & seating

# cubio | **Benches** Features & Benefits















# **Heavy Duty**

Featuring Up to 1200 kg U.D.L total capacity and robust, heavy duty construction throughout bott cubio benches are truly 'Built To Last'

## 40mm Worktop

Heavy Duty 40mm worktops are used across the range. Choose from Multiplex or Beech hardwood, steel clad, lino faced or ESD laminate. Corner, 'T', jointing and special length options are available for truly custom installations.

# **Heavy Duty Drawers**

The bott cubio benches utilise the bott cubio cabinets so the same robust build quality, high capacity and divider options apply.

# Mobile, Static, Adjustable

Many bott cubio range benches are available in both fixed height and adjustable height variants. The workstand, framework and storage style benches are available in a mobile format too.

# **Perfo Storage Panels**

Perfo and louvre storage panels are available for mounting to the bench endframes and at the rear of the worktop as a back panel. Ideal for giving immediate access to tools and components.

# **Overhead & Service Ducts**

Rear and overhead frame systems for the framework and storage bench models include panels, shelves, electrical ducts and lights. Worktop mounted service duct distribution centres are available for use with electric, pneumatic and custom fittings. cubio abinets

cubio

dividers

cubio

cubio

perfo

2 =

cupk


benches

acilities

# cubio | Benches Framework Benches

# Framework Benches

- Heavy duty, braced framework
- Up to 800kg U.D.L. capacity
- Fixed or adjustable working height
- Mobile models have 125mm diameter castors and 300kg
   U.D.L. capacity



### Multiplex (mpx)

40 mm, resin bonded, layered beech ply. A tough worktop suitable for most applications.

### Lino

40mm overall with a 38mm particle board core and a 2mm linoleum surface with a durable plastic edgebanding. An easy clean, general duty top Ideal for office, assembly and storage areas.











The cabinets are from the 525mm wide x 650mm deep range. For divider options please see page 69

NAl - l		Cabinet		Mpx worktop	Lino worktop
Model	Height W x D x H Drawers	Drawers	Order Ref.	Order Ref.	
А	840	\	\	41003010.16V	41003012.16V
В	840	525 x 650 x 250	1x 150	41003521.11V	41003523.11V
С	840	525 x 650 x 400	3x 100	41003524.11V	41003526.11V
	740 - 1140	\	\	41003046.16V	41003048.16V
	740 - 1140	525 x 650 x 250	1x 150	41003530.11V	41003532.11V
	740 - 1140	525 x 650 x 400	3x 100	41003533.11V	41003535.11V
	Optional base shelf				41201048.16V

# Mobile 750mm wide x 750mm Deep



The cabinets are from the 525mm wide x 650mm deep range. For divider options please see page 69

Model H	Height	Cabinet	Drawers	Mpx worktop	Lino worktop
Model	neight	WxDxH	Drawers	Order Ref.	Order Ref.
D	840 - 1140	\	\	41003265.16V	41003267.16V
E	840 - 1140	525 x 650 x 250	1x 150	41003271.11V	41003273.11V
F	840 - 1140	525 x 650 x 400	3x 100	41003527.11V	41003529.11V
Optional base shelf			41201048.16V	41201048.16V	

# cubio | Benches Framework Benches

# **Basic Bench**

# **Mobile Bench**





# 840mm High

Longth	Donth	Mpx worktop	Lino worktop
Length	Depth	Order Ref.	Order Ref.
1500	750	41003082.16V	41003084.16V
1500	900	41004001.16V	41004021.16V
2000	750	41003178.16V	41003180.16V
2000	900	41004003.16V	41004023.16V

# 740 - 1140mm Adjustable Height

Length	Depth	Mpx worktop	Lino worktop
	Бериі	Order Ref.	Order Ref.
1500	750	41003118.16V	41003120.16V
1500	900	41004125.16V	41004126.16V
2000	750	41003214.16V	41003216.16V
2000	900	41004127.16V	41004128.16V

# 840 - 1140mm Adjustable Height

Length	Danth	Mpx worktop	Lino worktop
Length	Depth	Order Ref.	Order Ref.
1500	750	41003283.16V	41003285.16V
1500	900	41004141.16V	41004142.16V
2000	750	41003292.16V	41003294.16V
2000	900	41004143.16V	41004144.16V





Models available complete with cabinets see bottltd.co.uk/Cubio-Pre-Kitted for full details and pricing

All framework benches may be fitted with storage cabinets. See pages 120-121 for details.





# 840mm High

Length	Depth	Mpx worktop	Lino worktop
Length		Order Ref.	Order Ref.
1500	750	41003085.16V	41003087.16V
1500	900	41004017.16V	41004037.16V
2000	750	41003181.16V	41003183.16V
2000	900	41004019.16V	41004039.16V

# 840mm High

Length	Depth	Mpx worktop	Lino worktop
		Order Ref.	Order Ref.
1500	750	41003503.16V	41003504.16V
1500	900	41004133.16V	41004134.16V
2000	750	41003505.16V	41003506.16V
2000	900	41004135.16V	41004136.16V

# 740 - 1140mm Adjustable Height

Length	Double	Mpx worktop	Lino worktop
	Depth	Order Ref.	Order Ref.
1500	750	41003121.16V	41003123.16V
1500	900	41004129.16V	41004130.16V
2000	750	41003217.16V	41003219.16V
2000	900	41004131.16V	41004132.16V

# 740 - 1140mm Adjustable Height

Length	Depth	Mpx worktop	Lino worktop
		Order Ref.	Order Ref.
1500	750	41003507.16V	41003508.16V
1500	900	41004137.16V	41004138.16V
2000	750	41003509.16V	41003510.16V
2000	900	41004139.16V	41004140.16V



Housing:

RAL 7035 – light grey

Top, bottom and fronts:

.11 RAL 5010 – gentian blue RAL 7035 – light grey

RAL 3004 – crimson red RAL 7016 – anthracite grey

# cubio | Benches Suspended Cabinets

# **Suspended Cabinets for Framework Benches**

On 1500mm and 2000mm wide benches 525mm, 650mm or 800mm wide cabinets may be used.

Maximum height of cabinets is 600mm for static and 400mm for mobile benches.750mm deep benches may use either the 525mm deep or 650mm deep cabinets

900mm deep benches may use either the 650mm deep or 750mm deep cabinets.

To fix a cabinet to a framework bench a set of suspension channels are required. Choose the correct bench depth, the channels will fit both 650 and 750mm deep cabinets.

# Suspension Channels





To Suit	Order Ref.
750 bench	41010026.16V
900 bench	41010093.16V



2000mm wide x 900mm deep lino worktop bench. Shown with a 650mm wide x 650mm deep x 400mm high cabinet.

CNC



Model	College Marie Co	650mm Deep	750mm Deep
wodei		Order Ref.	Order Ref.
А	1x 150	40019001.11V	40027092.11V
В	2x 150	40019005.11V	40027108.11V
С	3x 100	40019009.11V	40027096.11V

# 650mm Wide x 600mm High Cabinets - For static framework benches only



Model	Drawers (Qty x Front Height mm) /	650mm Deep	750mm Deep	
	Cupboard (Height mm)	Order Ref.	Order Ref.	
D	500 door	40019118.11V	40027098.11V	
E	2x 75, 1x 150, 1x 200	40019015.11V	40027100.11V	
F	2x 75, 2x 100, 1x 150	40019152.11V	40027102.11V	



Housing:

Models available complete with cabinets see bottltd.co.uk/Cubio-Pre-Kitted for full details and pricing

	Top, bottom and fronts:				
	.11	.16	.24	.19	
ht grey	RAL 5010 – gentian blue	RAL 7035 – light grey	RAL 3004 – crimson red	RAL 7016 – anthracite grey	

# cubio | Benches Pedestal Benches

# **Pedestal Benches**

- Heavy duty cabinets and support legs
- Up to 1200kg U.D.L. capacity






Multiplex (mpx) 40mm, resin bonded, layered beech ply. A tough worktop suitable for most applications.

40mm overall with a 38mm particle board core and a 2mm linoleum surface with a durable plastic edgebanding.

An easy clean, general duty top Ideal for office, assembly and storage areas.









6 drawer cabinet with 2x 75, 2x 100, 1x 150, 1x 200mm drawers. 650mm wide x 800mm high. 750mm deep benches feature a 650mm deep cabinet, 900mm deep benches use a 750mm deep model


Longth	Depth	Mpx worktop	Lino worktop
Length		Order Ref.	Order Ref.
1500	750	41003133.11V	41003135.11V
2000	750	41003229.11V	41003231.11V
1500	900	41004109.11V	41004110.11V
2000	900	41004111.11V	41004112.11V

Length	Depth	Mpx worktop	Lino worktop
		Order Ref.	Order Ref.
1500	750	41003139.11V	41003141.11V
2000	750	41003235.11V	41003237.11V
1500	900	41004113.11V	41004114.11V
2000	900	41004115.11V	41004116.11V

# 940mm High Benches



6 drawer cabinet with 3x 100, 2x 150, 1x 200mm drawers. 650mm wide 900mm high. 750mm deep benches feature a 650mm deep cabinet, 900mm deep benches use a 750mm deep model





7 drawer cabinet with 5x 100, 2x 150mm drawers. 650mm wide x 900mm high. 750mm deep benches feature a 650mm deep cabinet, 900mm deep benches use a 750mm deep model

Lamonto	Depth	Mpx worktop	Lino worktop
Length		Order Ref.	Order Ref.
1500	750	41003496.11V	41003497.11V
2000	750	41004121.11V	41004122.11V
1500	900	41003498.11V	41003499.11V
2000	900	41004123.11V	41004124.11V

Housing:

RAL 7035 - light grey

Top, bottom and fronts:

RAL 3004 – crimson red RAL 5010 – gentian blue RAL 7035 – light grey

# cubio | Benches Storage Benches

# **Storage Benches**

- Storage framework design allows easy cleaning beneath
- Half depth shelf models give knee space for seated work
- Up to 800kg U.D.L. capacity
- Integral cabinets with full extension 75kg U.D.L. capacity drawers
- Mobile models have 125mm castors and 300kg U.D.L. capacity

# Mpx Lino Multiplex (mpx)

40mm, resin bonded, layered beech ply. A tough worktop suitable for most applications.

### Lino

40mm overall with a 38mm particle board core and a 2mm linoleum surface with a durable plastic edgebanding.

An easy clean, general duty top Ideal for office, assembly and storage areas.



All models use the 650 x 650 cabinet dividers except 41002169 / 41002170 wich use the 1300 x 650 cabinet dividers

# Adjustable Height Leg Kit



Adjustable height leg set for use with all static storage benches.

Mounts to existing frame with supplied fixings offering height options in 25mm increments from 800 - 900mm or 900 - 1000mm.

Adjustable Leg Kit	
Height (mm)	Order Ref.
840 - 940	41010003.16V
940 - 1040	41010004.16V









Model	Drawers / Cupboards	Mpx worktop	Lino worktop
		Order Ref.	Order Ref.
А	500 cupboard with adjustable shelf	41002004.11V	41002006.11V
В	1x 150 drawer, 1x 350 H cupboard	41002007.11V	41002009.11V
С	2x 150, 1x 200 drawers	41002010.11V	41002012.11V

# 1500mm Wide x 750mm Deep x 840mm High





Model	Drawers / Cupboards	Mpx worktop	Lino worktop
		Order Ref.	Order Ref.
D	500 cupboard with adjustable shelf, open section with 1/2 depth base shelf	41002034.11V	41002036.11V
E	1x 150 drawer, 1x 350 cupboard, open section with 1/2 depth base shelf	41002037.11V	41002039.11V
F	2x 150, 1x 200 drawers, open section with 1/2 depth base shelf	41002040.11V	41002042.11V

Housing:

Top, bottom and fronts:

Ε

ubio

cubio

cubio

cupboards

benches

perfc

*y* 

CNC

verso

cupboards

benches

facilities

# cubio | **Benches** Storage Benches

# 1500mm Wide x 750mm Deep x 840mm High



Model	Drawers / Cupboards	Mpx worktop	Lino worktop
		Order Ref.	Order Ref.
G	500 cupboard with adjustable shelf, open section with adjustable shelf	41002019.11V	41002021.11V
Н	2x 150, 1x 200 drawers, open section with adjustable shelf	41002166.11V	41002167.11V
I	2x 500 cupboards each with adjustable shelves	41002022.11V	41002024.11V
J	2x 150 drawers, 2x 350 cupboards	41002028.11V	41002030.11V
K	2x 150, 1x 200 drawers, 500 cupboard with adjustable shelf	41002025.11V	41002027.11V
L	4x 150, 2x 200 drawers	41002031.11V	41002033.11V
М	2x 150, 1x 200 full width drawers	41002169.11V	41002170.11V



# 2000mm Wide x 750mm Deep x 840mm High

















Model	Drawers / Cupboards	Mpx worktop	Lino worktop
Model		Order Ref.	Order Ref.
N	2x 500 cupboards each with adjustable shelf, open section with shelf	41002049.11V	41002051.11V
0	2x 150 drawers, 2x 350 cupboards, open section with adjustable shelf	41002052.11V	41002054.11V
P	2x 150, 1x 200 drawers, 1x 500 cupboard, open section with 1/2 depth base shelf	41002070.11V	41002072.11V
Q	3x 150, 1x 200 drawers, 1x 350 cupboard, open section with adjustable shelf	41002058.11V	41002060.11V
R	2x 150, 2x 350 cupboards, open section with 1/2 depth base shelf	41002067.11V	41002069.11V
S	4x 150, 2x 200 drawers, open section with 1/2 depth base shelf	41002073.11V	41002075.11V
T	2x 500 cupboards each with adjustable shelf, 2x 150, 1x 200 drawers	41002055.11V	41002057.11V
U	4x 150, 1x 200 drawers, 2x 350 cupboard	41002064.11V	41002066.11V

Housing:

RAL 7035 – light grey

Top, bottom and fronts:

cubio mobile

dividers

cupboards

benches

perfo

inets

bile

pboards

enches

cilities

# cubio | **Benches** Mobile Storage Benches

# 750mm Wide x 750mm Deep x 840mm High







Model	Drawers / Cupboards	Mpx Worktop	Lino Worktop
		Order Ref.	Order Ref.
А	500 cupboard with adjustable shelf	41002085.11V	41002087.11V
В	1x 150 drawer, 1x 350 H cupboard	41002088.11V	41002090.11V
С	2x 150, 1x 200 drawers	41002091.11V	41002093.11V

# 1500mm Wide x 750mm Deep x 840mm High













Model	Drawers / Cupboards	Mpx Worktop	Lino Worktop
		Order Ref.	Order Ref.
D	500 cupboard with adjustable shelf, open section with adjustable shelf	41002094.11V	41002096.11V
E	2x 150, 1x 200 drawers, open section with 1/2 depth base shelf	41002115.11V	41002117.11V
F	2x 500 cupboards each with adjustable shelves	41002097.11V	41002099.11V
G	2x 150 drawers, 2x 350 cupboards	41002103.11V	41002105.11V
Н	2x 150, 1x 200 drawers, 500 cupboard with adjustable shelf	41002100.11V	41002102.11V
1	4x 150, 2x 200 drawers	41002106.11V	41002108.11V



# 2000mm Wide x 750mm Deep x 840mm High













Model	Draware / Cunhaarde	Mpx Worktop	Lino Worktop
	Drawers / Cupboards	Order Ref.	Order Ref.
J	2x 500 cupboards each with adjustable shelf, open section with full depth base	41002118.11V	41002120.11V
K	2x 150 drawers, 2x 350 cupboards, open section with adjustable shelf	41002121.11V	41002123.11V
L	3x 150, 1x 200 drawers, 1x 350 cupboard, open section with adjustable shelf	41002127.11V	41002129.11V
М	4x 150, 2x 200 drawers, open section with adjustable shelf	41002130.11V	41002132.11V
N	2x 150, 1x 200 drawers, 2x 500 cupboards each with adjustable shelf	41002124.11V	41002126.11V
0	4x 150, 1x 200 drawers, 2x 350 cupboards	41002133.11V	41002135.11V

Housing:

Top, bottom and fronts:

.11 RAL 5010 – gentian blue RAL 7035 – light grey RAL 3004 – crimson red RAL 7016 – anthracite grey

perfo

CNC

# cubio | Benches Rear Frame & Accessories

# **Rear Framework System**

- Create an ergonomic workstation
- Models available to suit framework or storage style workbenches
- Twin upright set builds a single rear section
- Triple upright set allows for two rear sections
- Additional upright can be used to further divide rear sections
- Short uprights are suitable for a 2x 240mm or a 480mm high panel and a fixed shelf
- Rear sections may be 450, 900, 1350 or 1800mm wide and can be configured in any combination up to the width of the bench
- Accessories availble in 450, 900, 1350 or 1800mm widths
- Supplied in RAL7035 light grey



Item	1500 Bench	2000 Bench
item	Order Ref.	Order Ref.
Twin upright set for cubio framework bench	41010150.20	41010151.20
Triple upright set for cubio framework bench	41010152.20	41010153.20
Twin upright set for cubio storage bench	41010154.20	41010155.20
Triple upright set for cubio storage bench	41010156.20	41010157.20
Additional Upright	41010162.20	41010162.20
Twin short upright set for cubio framework bench	41010234.20	41010235.20
Triple short upright set for cubio framework bench	41010236.20	41010237.20
Twin short upright set for cubio storage bench	41010238.20	41010239.20
Triple short upright set for cubio storage bench	41010240.20	41010241.20
Additional short Upright	41010246.20	41010246.20
Service duct with 4 x UK sockets and 3m cable & UK plug	11042235	11042236

la	450mm Wide	900mm Wide	1350mm Wide	1800mm Wide
Item	Order Ref.	Order Ref.	Order Ref.	Order Ref.
Perfo panel 240mm high	14025340.20	14025341.20	14025342.20	14025343.20
Perfo panel 480mm high	14025344.20	14025345.20	14025346.20	14025347.20
Louvre panel 240mm high	14025360.20	14025361.20	14025362.20	14025363.20
Louvre panel 480mm high	14025364.20	14025365.20	14025366.20	14025367.20
Fixed shelf 200mm deep	41010166.20	41010167.20	41010168.20	41010169.20
Adjustable shelf 200mm deep	41010170.20	41010171.20	41010172.20	41010173.20
Adjustable shelf 350mm deep	41010174.20	41010175.20	41010176.20	41010177.20
Bin rail	41011014.20	41011015.20	41011016.20	1



# **Rear Framework Accessories**



LED light and support frame



Power rail



Power rail shown with socket outlet strip with FR sockets & switch



Service duct



480mm high louvre panel



Adjustable shelf



Monitor bracket



Monitor bracket & arm



Swivel arm & tray

Item	Order Ref.
Socket outlet strip with 4 x U.K. sockets & on/off switch	51001128
Socket outlet strip with 6 x U.K. sockets & on/off switch	51001129
Monitor bracket (VESA 75/100)	41011086
Monitor arm & bracket (VESA 75/100)	41011087
Swivel arm & tray	41011061.20
Vertical power rail bracket	41011254.20

Choose the correct length / type power rail and then add socket outlet strips to suit your requirements.

The overhead lights are supplied with a 3m cable and U.K plug.

Please ensure all necessary regulations are adhered to for your application.

\* - Note the LED light is wider than the 900mm wide frame

Item	450mm Wide	900mm Wide	1350mm Wide	1800mm Wide
item	Order Ref.	Order Ref.	Order Ref.	Order Ref.
LED light with support frame	/	41010163.20*	41010164.20	41010165.20
Top brace (for use instead of light)	41011132.20	41011104.20	41011105.20	41011193.20
Power rail	41011250.20	41011251.20	41011252.20	41011253.20

cubio

dividers

cubio

benches

perfo

D

Ga\_ <

mobile

upboards

oenches

facilities

# cubio | Benches Backpanels

# Backpanels

Backpanel set utilising the reinforced horizontal panels complete with end wing plates and rear mounting channels.

For direct fitment to the worktop, suitable for any bench. Panels shown in the optional colour RAL7016 grey, standard colour is RAL5010 blue.

Tuno	1500 Bench	2000 Bench
Туре	Order Ref.	Order Ref.
Perfo	07002201.11V	07002202.11V
Louvre	07002203.11V	07002204.11V
Combi	07002205.11V	07002206.11V




Combi backpanel

# **Hook Kits**

Zinc plated, metal accessory kits for use on the perfo and combi back panels.

For more detail for the perfo range see page 151




Hook Kit	To Suit	Order Ref.
11 piece	1.5m combi backpanel	14030064
15 piece	2.0m combi / 1.5m perfo backpanel	14031411
20 piece	2.0m perfo backpanel	14031412



# Bin Kits

Hook on plastic bins for use on the louvre back panels.

For more detail for the bin range see page 154




- 1 103 x 90 x 55, 1b 103 x 120 x 62
- 2 103 x 165 x 83



Bin Kit	No. 1 Bin	No. 1b Bin	No. 2 Bin	To Suit	Order Ref.
30 piece	6x yellow	12x red	12x blue	1.5m combi backpanel	13031106
45 piece	9x yellow	18x red	18x blue	2.0m combi backpanel	13031092
60 piece	12x yellow	24x red	24x blue	1.5m louvre backpanel	13031167
90 piece	18x yellow	36x red	36x blue	2.0m louvre backpanel	13031105

# cubio | Benches Bench Components





40mm conductive particle board core with conductive laminate surface and ABS antistatic edges.

An easy clean top with high abrasion and impact resistance and excellent surface resistance to boiling water, oils, weak acids and chemicals. Leakage values in accordance with IEC 61340.



40mm solid beech.


A high load bearing worktop with good surface resistance to water, oils, acids and chemicals, suitable for most benching applications.



40mm, resin bonded, layered hardwood beech ply with cross laminated construction.

A tough general duty worktop suitable for most applications.

# Phenol



40mm top with hardwood core impregnated with phenol resin and edged in hardwood.


# **Steel Clad**



38mm particle board core with 1.2 mm galvanised steel cladding to surface, front and rear edges.

An extremely hard wearing, heavy duty surface for heavy engineering or hot components.

# Lino



40mm overall with a 38mm particle board core and a 2mm grey linoleum surface and a durable plastic edgebanding.

An easy clean top with good surface resistance to water, oils, acids and chemicals. Ideal for office, assembly and storage areas.

Size (mm)	ESD Laminate	Beech	Multiplex	Phenol	Steel Clad	Lino
	Order Ref.					
750 x 750	41201031.05V	41201031.07V	41201031.08V	41201031.10V	41201031.14V	41201031.15V
1500 x 750	41201033.05V	41201033.07V	41201033.08V	41201033.10V	41201033.14V	41201033.15V
2000 x 750	41201036.05V	41201036.07V	41201036.08V	41201036.10V	41201036.14V	41201036.15V
1500 x 900	41201065.05V	41201065.07V	41201065.08V	41201065.10V	41201065.14V	41201065.15V
2000 x 900	41201066.05V	41201066.07V	41201066.08V	41201066.10V	41201066.14V	41201066.15V

cubio

cubio

dividers

cupboard

benche

per

binets

nobile


verso upboards


venso

facilities

# cubio | Benches Bench Components

# **Custom Worktops**





Corner and 'T' shape worktops for use in custom installations. The 750mm sections integrate with the standard worktops and the corner sections allow 1050mm wide or 525mm square cabinets to sit underneath. As well as cabinets, the worktops can be supported by the cubio endframes and support brackets.

Туре	Overall Size (mm)	Mpx top	Lino top
		Order Ref.	Order Ref.
Corner	1500 x 1500 x 40	41201067.08V	41201067.15V
'T'	1507 x 1129 x 40	41201068.08V	41201068.15V

# **Endframes, Cross Brace Stringer Sets & Base Shelves**





Stringer sets are available for use with 1500 and 2000mm long tops and consist of two top cross members a single base cross member and two rear corner braces. Base Shelves are used in conjunction with stringer sets



Item	Depth x Height (mm)	Order Ref.
Static Leg	650 x 800	41401001.16V
Static Leg	650 x 900	41401002.16V
Static Leg	800 x 800	41401017.16V
Adjustable Leg	650 x 700 - 1100	41401005.16V
Adjustable Leg	800 x 700 - 1100	41401006.16V
Stringer set	For all 1500mm long benches	41010020.16V
Stringer set	For all 2000mm long benches	41010022.16V
Full Depth Shelf	For 1500 x 750mm benches	41201049.16V
Full Depth Shelf	For 2000 x 750mm benches	41201055.16V
Half Depth Shelf	For 1500 x 750mm benches	41201050.16V
Half Depth Shelf	For 2000 x 750mm benches	41201056.16V

# **Worktop Support Brackets**



Steel joining plates and wall supports for use with extended worktop runs and custom installation. Powdercoat RAL7035 grey finish.

Туре	Size (mm)	Order Ref.
Wall support	500 x 75	11204025.16
Wall support	750 x 75	11204026.16
Joining plate	250 x 100	11204021.16
Joining plate	250 x 200	11204022.16
Joining plate	500 x 100	11204023.16
Joining plate	500 x 200	11204024.16

# bott

# cubio | Benches Stepless Height Adjustable Benches

# Stepless Height Adjustable benches

- Stepless height adjustment to rapidily achieve perfect working height
- Height range 840mm to 1140mm
- Hydraulic lift mechanism with manual hand crank or electronic activation
- Suitable for use with a 400mm or 250mm high cubio suspended cabinet
- 40mm Multiplex or lino worktop
- Maximum U.D.L capacity 200kg
- Supplied assembled





Type	Length (mm)	Depth (mm)	Worktop	Order Ref.
Manual	1500	750	Мрх	41003574.16
Manual	1500	750	Lino	41003575.16
Manual	2000	750	Мрх	41003572.16
Manual	2000	750	Lino	41003573.16
Electric	1500	750	Мрх	41003566.16
Electric	1500	750	Lino	41003567.16
Electric	2000	750	Мрх	41003564.16
Electric	2000	750	Lino	41003565.16

cubio

cubio

cubio

cupboards

cubio benches

nerfo

CNC

cabinets

mobile

cupboards

verso

facilities